ALCATE


home & business phones

S250 / S250 DUO / TRIO



USER'S GUIDE GUÍA DE USUARIO

PLEASE READ THIS USER'S GUIDE BEFORE USING YOUR PHONE FAVOR DE LEER TODO EL MANUAL ANTES DE UTILIZAR SU TELÉFONO



ENGLISH

Before 1st use

Connecting your phone:

- Connect plugs in corresponding sockets in the base station Plug the telephone line into telephone socket and insert power plug in an electrical outlet.
- Insert batteries in handset.

Before you start to use your telephone, charge the AAA batteries continuously for 15 hours.

Phone Function Keys

Only use plug adapter supplied with the unit and rechargeable batteries with your phone.

1. OK / Menu key

- Back key / Clear key / Mute key
 (Long press to toggle between handset name and date/time)
- Navigation key
- Talk key / Activate handsfree 4.
- 5. Hang-up / Exit key
- 6. Recall (Flash) key - To access to operator services*
- Redial key 7.
- To lock / unlock keypad; toggle between calls
- 8. Star key -Hash key 9
- 10. Call transfer / Intercom key (Duo/Trio versions)
- 11. Paging key To locate handset / to start registration procedure.

Display icons

- Fast blink indicates battery low.
- Indicates that an external call is connected or held. Icon blinks when receiving an incoming call. 1
- ത Indicates you have a new voice mail message*
- Indicates you have new missed calls*, or the call log being •P
- M Displays when the phonebook is accessed. Displays when the alarm clock is activated. Δ
- Displays when handsfree is activated. 4
- Displays when ringer volume is turned off. × Indicates that the handset is registered and range of the
- base station.

 Icon blinks when the handset is out of range or is searching for a base. d
- OK Displays when in menu mode to confirm your selection.
 - Indicates that more options are available.
 Use the UP / DOWN keys to scroll up / down.
 - Displays when in menu mode. Select BACK to return to the previous menu level.
- * Subject to subscription and availability of the service from the land line operator.

Your Telephone Operation Switching on / off

 Press and hold the * key. Notes: When the handset is OFF, it cannot be used for making calls including emergency calls. There will be no ringing during an incoming call.

To answer a call, you will need to switch it back on. It may take some time for the handset to re-establish a radio link with the base unit.

To lock / unlock the keypad - Press and hold the ★⊷ key.

Note: Incoming calls can still be answered even if the keypad was

locked.

Change the display language NU/ A or ▼ to select AJUSTES PERS / OK / A or ▼ to select IDIOMA / □K / ♠ or ▼ to your desired language / □K / confirmation

Note: Once the display language is set, the option menus on the handset will switch to display in the selected language immediately.

Set time and date

Note: If you subscribe to the Caller Display service, the time and date will be set automatically when you receive a call, but you may still need to set the correct year.

- MENU/ ▲ or ▼ to select CLOCK & ALARM / □K / □K to select DATE / TIME to display the last stored date / enter the current (YY - MM - DD) / OK / enter the time (HH-MM) / OK.

Change your handset's name

NU/ A or ▼ to select PERSONAL SET / □K / A or ▼ to select HANDSET NAME / OK to display the current handset name / =

to delete the characters / enter the new name (maximum 10 characters) / DK/ confirmation beep. Make and answer calls

Make a call

either before or after dialing your number.

- From redial list: REDIAL / ♠ or ▼ / ↓.
- From call log list*: ♠ / ♠ or ▼ / ↓.

Note: You need to subscribe to Caller Line Identification service to

be able to see the caller's number or name in the call log.

- From phonebook: ♀ / ♠ or ▼ / •

From direct memories: long press on KEY 1 or KEY 2 in idle mode.

Answer and end a call (/ °).

IMPORTANT NOTE: You can simply place the handset back on its base station or charger pod to end the call.

Use handsfree

- To activate / desactivate handsfree : 🐧

Adjust the earpiece volume

During a call, press ♠ or ▼ to select from VOLUME 1 to VOLUME 5.

Mute / unmute microphone

to turn on / off the microphone.

Paging

Press •)) located at the back of the base station. All the registered

- handsets start to ring.

- Once retrieved, press any key on the handset or the •)) again to end the paging.

Call waiting

If you have subscribed to Call Waiting service, the earpiece will emit a beep tone to inform you that there is a second incoming call. The number or name of the second caller will also be displayed on

your phone if you have subscribed to Caller Line Identification service (CLI). Please contact your network provider for more information on this service Phonebook settings: 50 entries

Store a contact in the phonebook

MENU/ \triangle or \triangledown to select PHONEBOOK / \square K / \square K to enter NEW ENTRY / enter the name of contact / \square K / enter the number of

Access phonebook

₩ or M ENU to select PHONEBOOK /□K / A or ▼ to select LIST

/ÒΚ.

Note: Instead of pressing Δ or ∇ to browse the phonebook entries, you can press the numeric key corresponding to the first

letter of the entry you wish to locate. Modify a phonebook entry NU/A or ▼ to select PHONEBOOK / ①K/A or ▼ to select EDIT

ENTRY / □K / ♠ or ▼ to select an entry to edit /□K / current name is displayed / edit the name / DK / edit the number /DK / confirmation beep.

Delete a phonebook entry - MENU/ \triangle or ∇ to select PHONEBOOK / \square K/ \triangle or ∇ to select

DELETE / OK/ ♠ or ▼ to select entry to delete /OK / OK/ confirmation beep.

Delete all entries from the phonebook list ▼ to select PHONEBOOK /□K/ ♠ or ▼ to select u/ A or **DELETE ALL** /0K/0K/ confirmation beep.

Add / edit direct access memory MENU/ ⚠ or ▼ to select PHONEBOOK / □K/ ⚠ or ▼ to select

DIRECT MEM. / □K / ♠ or ▼ to select KEY 1 or KEY 2 / □K / stored name displayed, or NO NUMBER displayed if it is empty / ME

enter direct memory menu / A or ▼ to select EDIT NUMBER / □K/ currently stored name displayed (or ENTER NAME if there is no number stored) / edit or enter the name / DK / / DK / confirmation

beep.

Delete direct access memory MENU/ A or ▼ to select PHONEBOOK / DK / A or ▼ to select

DIRECT MEM. /OK / ♠ or ▼ to select KEY 1 or KEY 2 / OK / stored name displayed (or NO NUMBER if it is empty) / MENU to enter direct memory menu / ♠ or ▼ to select DELETE / OK / OK / confirmation beep. Using the redial list

The redial list stores the last 5 numbers dialed.

Access redial list

 REDIAL / A or ▼ to browse the redial list / □K to view details. Save a redial number into the phonebook

REDIAL / ▲ or ▼ to select an entry / MENU to display SAVE NUMBER / OK to display ENTER NAME / enter the name of contact

(maximum 12 characters) / DK / return the display to redial list. Using the call log: stored up to 10 external calls

Access call log

A or ▼ / OK. Save call list entry into the phonebook $_{ ext{cip}}^{\Delta}/\Delta$ or $far{}$ to select an entry / MENU / Δ or $far{}$ to select SAVE

NUMBER / DK to select and enter the name of contact (maximum 12 characters) / OK.

Delete a Call Log entry - ♣/A or ♥/MENU/A or ♥ to select DELETE / OK / OK /

confirmation been. Delete all entries in the Call Log $_{\text{cip}}^{\Delta}$ / MENU / $_{\text{Cip}}^{\Delta}$ or $_{\text{Cip}}^{\text{Cip}}$ to select DELETE ALL / $_{\text{Cik}}^{\text{Cip}}$ / confirmation

beep. Call screening

Call screening allows you to hear the caller while he is leaving a message.

You can then decide if you want to talk to the caller directly. Using the intercom (Duo / Trio versions)

Intercom another handset - If only 2 registered handsets: INT. - If more than 2 registered handsets: the available handset number

and * displayed / enter the handset number. To ring all handsets to intercom: ★

Transfer an external call to another handset

During the call:

- If only 2 registered handsets: INT

If more than 2 registered handsets: the available handset number and * displayed / enter the handset number.

- To ring all handsets to intercom: * .

on the called handset to answer the internal call / of on the

first handset transfer the external call to the called handset /

external call tansferred. Note: If there is no answer from the called handset, press INT key

to resume the external call. Answer an external call during intercom \(\) / answer the external call and end the intercom.

Note: To put the internal call on hold and answer the incoming external call, press INT key. Switch between an internal and external call

During the call, press and hold INT.

Establish a three-party conference call

- During call, INT/ enter handset number / on the called handset

to answer / long press **DK** on the first handset. CONFERENCE will be displayed on the screen once the

conference call is established.

Handset Tone

Set the ring volume

There are 5 ringer volume options (OFF, LEVEL 1, LEVEL 2 LEVEL 3, LEVEL 4 and LEVEL 5), The default level is LEVEL 3.

MENU/ A or ▼ to select PERSONAL SET / OK / A or ▼ to select

HANDSET TONE / □K to select RING VOLUME / □K / ▲ or

the desired volume level / DK / confirmation beep.

Set the ring melody: 10 ring melodies

U/A or ▼ to select PERSONAL SET / DK / A or ▼ to select

HANDSET TONE / □K / ♠ or ▼ to select RING TONES / □K/

♠ or

▼ to the desired melody / □K / confirmation beep.

Activate / deactivate key tone

MENU/ \triangle or \triangledown to select PERSONAL SET / \square K / \triangle or \triangledown to select HANDSET TONE / \square K / \triangle or \triangledown to select KEY BEEP / \square K / \triangle or \triangledown to select ON or OFF / DK/ confirmation beep. Activate / deactivate auto hang-up

NU/ A or ▼ to select PERSONAL SET / □K/A or ▼ to select AUTO HANG-UP / □K / A or To select ON or OFF / □K / confirmation beep.

Set date / time format Set time format

- MENU/ ⚠ or ▼ to select CLOCK&ALARM / □K / ⚠ or ▼ to select SET FORMAT / □K / □K to enter TIME FORMAT / □K / current setting displayed / ♠ or ▼ to select 12 HOURS or 24 HOURS / □K/

confirmation beep. Set date format

u/ A or ▼ to select CLOCK&ALARM / DK / A or ▼ to select SET FORMAT / □K / ♠ or ▼ to select DATE FORMAT / □K / current setting display / ♠ or ▼ to select DD/MM or MM/DD / □K/ confirmation beep.

Set alarm

u/A or ▼ to select CLOCK&ALARM /□K/A or ▼ to select

/ ♠ or ▼ to select AM or PM if in 12 HOURS format / □K /

ALARM /OK / ♠ or ▼ to select OFF, ON ONCE or ON DAILY /OK. if select ${\bf ON}$ ${\bf ONCE}$ or ${\bf ON}$ ${\bf DAILY}$, enter time (${\bf HH\text{-}MM}$) for alarm

confirmation beep. Set alarm tone

MENUV ⚠ or ▼ to select CLOCK&ALARM / □K / 죠 or ▼ to select ALARM TONE / □K / 죠 or ▼ to select MELODY 1, MELODY 2 or

Advanced use of your telephone

MELODY 3 / OK / confirmation beep.

Change Master PIN

The Master PIN is used for registration / unregistration of handsets.

The default Master PIN number is 0000. Note: If you forget your PIN code, you can reset it to its default 0000

using a handset Reset. -MENU/ A or ▼ to select ADVANCED SET / DK/ A or ▼ to select

CHANGE PIN / OK / enter current master pin when prompted / OK / enter new PIN / OK / confirmation beep.

Register your handset IMPORTANT: Handset registration is only necessary when you buy

extra handsets or if a handset has become faulty. Up to 4 handsets can be registered to one base station.

The Master PIN is required before you can register or unregister handsets.

By default, the Master PIN is 0000.

On the base station, press and hold the •)) key for 5 seconds

- On the handset, press MENU / ♠ or ▼ to select ADVANCE SET

/ OK / ♠ or ▼ to select REGISTRATION / OK / enter Master PIN

when prompted / DK / WAITING displayed / confirmation beep.

Unregister your handset

MENU/ ⚠ or ▼ to select ADVANCE SET / □K / ♠ or ▼ to select

UNREGISTER / DK / enter Master PIN when prompted / DK /

∆ or ▼ to select the handset number to unregister / OK /

confirmation beep. Change recall time

NU/A or ▼ to select ADVANCE SET / DK / A or ▼ to select RECALL TIME / DK / ♠ or ▼ to select SHORT, MEDIUM or

LONG / DK / confirmation beep.

Change the dial mode (dual mode dialing version only) You should normally leave the dialling mode at its default setting of

TONE (also called MF or DTMF).

However, you can change to PULSE if necessary. Note: If PULSE dialling is set, you can press ★ ... to switch to TONE

dialling for the rest of that call. NU/ A or ▼ to select ADVANCED SET / □K/ A or ▼ to select

DIAL MODE / \square K / \triangle or \blacktriangledown to select TONE or PULSE / \square K /

confirmation beep.

Reset unit

NU/ A or ▼ to select ADVANCE SET / □K/ A or ▼ to select

RESET / OK / OK / confirmation beep.

Troubleshooting

If you have difficulty with your phone, please try the suggestions listed below. As a general rule, if a problem occurs, remove the batteries

from all the handsets in your installation for about 1 minute, then disconnect and reconnect the power supply to the base and reinstall the handset batteries.

Always check first

You have followed all the steps listed in the user manual to install and set up your telephone. All connectors are firmly inserted in their sockets. Mains power to the base unit is switched on at the The handset's batteries are correctly and securely

	installed and are not run down.
Everyday use "I cannot make or answer calls"	If the handset's display is blank, it may have been switched off. Press and hold the HANG-UP/EXIT key to switch it back on. Check that the base unit's mains power adapter is plugged in and power is switched on. The base unit needs mains power for normal operation of the phone - not just for charging the batteries. Make sure you are using the telephone line cable supplied with your telephone. Other telephone line cables might not work. Move the handset closer to the base unit. Check the battery level symbol on the display. If it is low, replace the handset on the base unit or charge pod to recharge the batteries. Switch off power at the mains socket, wait for a short time and then switch back on. This may solve the problem.

	unit.	
"I try to recharge the batteries but I still get a warning that they are low"	You need to replace the batteries. Dispose of used batteries safely – never burn them, or put them where they could get punctured. Do not use non - rechargeable batteries in your handset – they may explode, causing damage.	
If the fault persists	Disconnect all other instruments connected to the same line and try to make a call. Disconnect the base unit from the telephone line and plug a different phone into the master telephone socket. Try making a call. If this works, the line is OK. If the call does not work, and you are using a two-way socket adapter, remove it and plug a telephone directly into the socket. If the call now works, the adapter may be faulty. If you cannot make a call, the fault may be on the exchange line. Contact the service provider.	
The store where you bought your telephone can also provide you with information and after - sales support.		
SAFETY		
This telephone is not designed for Emergency calls when the main power fails.		
Do not use your telephone to notify a gas leak or other potential		
explosion hazard!		
Do not open your device or its power supply to avoid risk of electrical shock. Do not attempt to open the batteries, as they		
contain hazardous chemical substances.		
Your telephone must be located in a dry place away from hot,		
humide and direct sunlight condition. To avoid radio signal interference, place the phone at least 1 meter away from other		
electrical appliances or other phones.		

If the handset display shows KEYS LOCKED, press and hold the * button to unlock it before you make

a call.

Only one handset (or the base unit) can be connected to the outside line at a time. If another handset is already using the line, you need to wait until it has finished its call.

Make sure the batteries are fitted in your handset.

., _ _ position for the base unit = somewhere higher if possible, or further from oth electrical equipment. Try a different position for the base unit

Try moving the handset closer to the base unit.

Check that the base unit's mains power adapter is plugged in and power is switched on. Check that ring volume is not on OFF.

You may be going out of range of the base unit. Move closer or your call may be cut off. Check the Battery Level symbol on the display. If it's low, recharge the batteries.

Make sure you're holding the earpiece correctly Adjust the volume using the UP/DOWN

Before you first use the handset, you should have left it on the base unit or charger pod for 15 hours to charge the batteries fully. You may need to replace the batteries. Check the connection between the base unit and the mains power socket

If the Battery Level symbol on the display shows 'low', put your handset back on the cradle to charge.

"I cannot make a call"

"When I press on

the keys, nothing happens"

"When I key in a number, it appears on the display, but I

"I hear 'beeps' from my handset while I'm on a call"

"The volume in the earpiece is low when I'm on a call"

Batteries The hands battery cells are running low within an hour or two"

cannot make an

outside call" "The phone does not ring" a call.

with the household waste Help us protect the environment in which we live!

This symbol means that your inoperative electronic appliance must be collected separately and not mixed

ENVIRONMENT

www.alcatel-home.com ATLINKS Europe, 147 avenue Paul Doumer 92500 RUEIL-MALMAISON -

© ATLINKS 2016 - Reproduction prohibited

The manufacturer reserves the right to modify the specifications of its products in order to make technical improvements or comply

with new regulations.

ALCATEL and ATLINKS are registered trademarks. The Alcatel logo and Alcatel name are trademarks of

Alcatel-Lucent and used under license by ATLINKS.

A/W No.: 10001643 Rev.0 (LA-EN) Made in China

S250